

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	2807	313/582-587.ccls.	US-PGPUB; USPAT	OR	ON	2007/12/09 20:33
L4	119	(batch mass) and (display panel) and (light ((field electron) near3 (emision emitting emissive emitter source))) and (tolerance quality) and (assembl\$3 manufact\$3 fabricat\$3 production producing)	EPO; JPO; DERWENT	OR	ON	2007/12/09 20:48
L5	1	1994-335589.NRAN.	DERWENT	OR	ON	2007/12/09 20:44
L6	752	(b(manufact\$3 product\$3) near3 line) and (display panel) and (light ((field electron) near3 (emision emitting emissive emitter source))) and (tolerance quality) and (assembl\$3 manufact\$3 fabricat\$3 production producing)	EPO; JPO; DERWENT	OR	ON	2007/12/09 20:48
L7	33	((manufact\$3 product\$3) near3 line) and (display panel) and (light ((field electron) near3 (emision emitting emissive emitter source))) and (tolerance quality) and (assembl\$3 manufact\$3 fabricat\$3 production producing)	EPO; JPO; DERWENT	OR	ON	2007/12/09 20:49
L8	43	((manufact\$3 assembl\$3 product\$3) near3 line) and (display panel) and (light ((field electron) near3 (emision emitting emissive emitter source))) and (tolerance quality) and (assembl\$3 manufact\$3 fabricat\$3 production producing)	EPO; JPO; DERWENT	OR	ON	2007/12/09 21:17
L9	1	"6302754".pn.	US-PGPUB; USPAT	OR	ON	2007/12/09 21:18
L10	1	"3602754".pn.	US-PGPUB; USPAT	OR	ON	2007/12/09 21:18
L11	28	("2933648" "3265892" "3505046").PN. OR ("3602754").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/09 21:18
L12	39	("3013182" "3262010" "3562737" "3589789" "3602754" "3612938" "3617796" "3617803").PN. OR ("3704386").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/09 21:22
L13	9	("3704386" "4563617" "5808403" "5939826" "6577056").PN. OR ("6791264").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/09 21:33
L14	1	"5862054".pn.	US-PGPUB; USPAT	OR	ON	2007/12/09 21:33

EAST Search History

S1	1	"20010048110"		US-PGPUB; USPAT	OR	ON	2007/12/08 14:39
S2	126	"445"/\$.ccls. and (((inspect\$3 detect\$3 test\$3) with (point station stage step level time period phase)) same (tolerance requirement measurement measuring)))		US-PGPUB; USPAT	OR	ON	2006/01/23 16:01
S3	18	("1955794" "3004649" "3340358" "3369201" "3961241" "3978713" "4080836" "4179778" "4522071" "4573934" "4641196" "4643027").PN. OR ("4850921").URPN.		US-PGPUB; USPAT; USOCR	OR	ON	2006/01/23 15:32
S4	179	"445"/\$.ccls. and (((inspect\$3 detect\$3 test\$3) with (point station stage step level time period phase)) same (tolerance defect\$3 requirement measurement measuring)))		US-PGPUB; USPAT	OR	ON	2006/01/23 15:34
S5	12	("4377890" "4850921" "4871415" "4989072" "5019004" "5059147" "5145432" "5343803" "5725977" "5762528" "5873759" "6085183").PN. OR ("6520818").URPN.		US-PGPUB; USPAT; USOCR	OR	ON	2006/01/23 15:51
S6	172397	((inspect\$3 detect\$3 sampl\$3 test\$3) same (point ((assembly produc\$5) near\$3 line) station stage step level time interval period phase) same (tolerance fault\$3 quality performance requirement measurement measuring)))		EPO; JPO; DERWENT	OR	ON	2006/01/23 16:15
S7	2351	((inspect\$3 detect\$3 sampl\$3 test\$3) same (point ((assembly produc\$5) near\$3 line) station stage step level time interval period phase) same (tolerance fault\$3 quality performance requirement measurement measuring)) and (electro\$luminescen\$3 EL LED OLED light\$emitting light\$emission light\$emissive (light near\$3 (emitting emission emissive))) and (device display panel))		EPO; JPO; DERWENT	OR	ON	2006/01/23 16:16
S8	1738	((inspect\$3 detect\$3 sampl\$3 test\$3) with (tolerance fault\$3 quality performance requirement measurement measuring)) same (point ((assembly produc\$5) near\$3 line) station stage step level time interval period phase)) and (electro\$luminescen\$3 EL LED OLED light\$emitting light\$emission light\$emissive (light near\$3 (emitting emission emissive))) and (device display panel))		EPO; JPO; DERWENT	OR	ON	2006/01/23 16:16
S9	1582	((inspect\$3 detect\$3 test\$3) with (tolerance fault\$3 quality performance requirement measurement measuring)) same (point ((assembly produc\$5) near\$3 line) station stage step level time interval period phase)) and (electro\$luminescen\$3 EL LED OLED light\$emitting light\$emission light\$emissive (light near\$3 (emitting emission emissive))) and (device display panel))		EPO; JPO; DERWENT	OR	ON	2006/01/23 16:16

EAST Search History

S10	565	(((inspect\$3 detect\$3 measur\$5 test\$3) with (tolerance fault\$3 quality performance requirement)) same (point ((assembly produc\$5) near\$3 line) station stage step level time interval period phase)) and (electro\$luminescen\$3 EL LED OLED light\$emitting light\$emission light\$emissive (light near\$3 (emitting emission emissive)))) and (device display panel)	EPO; JPO; DERWENT	OR	ON	2006/01/23 16:17
S11	510	(((inspect\$3 detect\$3 measur\$5 test\$3) with (tolerance fault\$3 quality performance requirement)) same (((assembly produc\$5) near\$3 line) station stage step level time interval period phase)) and (electro\$luminescen\$3 EL LED OLED light\$emitting light\$emission light\$emissive (light near\$3 (emitting emission emissive)))) and (device display panel)	EPO; JPO; DERWENT	OR	ON	2006/01/23 16:17
S12	331	(((inspect\$3 detect\$3 measur\$5 test\$3) with (tolerance fault\$3 quality performance requirement)) same (((assembly produc\$5) near\$3 line) station stage step level time interval period phase)) and (electro\$luminescen\$3 EL OLED light\$emitting light\$emission light\$emissive (light near\$3 (emitting emission emissive)))) and (device display panel)	EPO; JPO; DERWENT	OR	ON	2006/01/23 17:52
S13	1	2003-738466.NRAN.	DERWENT	OR	ON	2006/01/23 17:37
S14	1	2005-723969.NRAN.	DERWENT	OR	ON	2006/01/23 17:44
S15	5	"2001291585" "2000294372"	EPO; JPO; DERWENT	OR	ON	2006/01/23 17:52
S16	1	2002-008016.NRAN.	DERWENT	OR	ON	2006/01/23 17:51
S17	2057	(((inspect\$3 discover\$3 detect\$3 measur\$5 test\$3) with (tolerance fault\$3 quality performance requirement)) same (((assembly produc\$5) near\$3 line) process station stage step level time interval period phase)) and ((manufactur\$3 produc\$4 method format\$3 assembl\$3) same ((electro\$luminescen\$3 EL OLED light\$emitting light\$emission light\$emissive (light near\$3 (emitting emission emissive)))) with (device display panel)))	US-PGPUB; USPAT	OR	ON	2006/01/23 18:22
S18	3249	(((inspect\$3 discover\$3 evaluat\$3 discover\$3 detect\$3 measur\$5 test\$3) with (tolerance error fault\$3 quality performance requirement)) same (((assembly produc\$5) near\$3 line) process station stage step level time interval period phase)) and ((manufactur\$3 produc\$4 method format\$3 assembl\$3) same ((electro\$luminescen\$3 EL OLED light\$emitting light\$emission light\$emissive (light near\$3 (emitting emission emissive)))) with (device display panel)))	US-PGPUB; USPAT	OR	ON	2006/01/23 18:24

EAST Search History

S19	289	(((inspect\$3 discover\$3 evaluat\$3 quality performance requirement)) same (((assembly produc\$5) near\$3 line) process station stage step level time interval period phase)) and ((manufactur\$3 produc\$4 method format\$3 assembl\$3) same ((electro\$luminescen\$3 EL OLED light\$emitting light\$emission light\$emissive (light near\$3 (emitting emission emissive)))) with (device display panel)))) and ("445"/\$.ccls. "427"/\$.ccls. "438"/\$.ccls. "430"/\$.ccls.)	US-PGPUB; USPAT	OR	ON	2006/01/23 20:00
S20	1	"5537054".pn.	US-PGPUB; USPAT	OR	ON	2006/01/23 18:44
S21	7	("3059183" "5377030").PN. OR ("5537054").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/23 18:49
S22	8	("4398343" "5233291" "5371459" "5537054" "5897378" "5982190" "6194907" "6320401").PN. OR ("6729922").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/23 18:49
S23	6	("4757255" "5835997").PN. OR ("6194907").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/23 18:54
S24	10	("5276400" "5371459" "5432461" "5504438").PN. OR ("5982190").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/23 18:55
S25	28	("5057775" "5081687" "5170127" "5285150" "5363037" "5369432" "5548357" "5614839" "5650844" "5734158" "5781258" "5793221" "5852480" "5914764" "5982190" "5994916" "6033281" "6056448" "6090545" "6140045" "6150833" "6232616" "6249329" "6281701" "6353466" "6417686" "6552563" "RE37847").PN. OR ("6987400").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/23 18:58
S26	11	("3832632" "5329423" "5342207" "5378982" "5415555" "5434513" "5489804" "5508228" "5764209").PN. OR ("6552563").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/23 19:01
S27	7	("5285150" "5764209" "5994916" "6191770" "6466882" "6529837" "6552563").PN. OR ("6778156").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/23 19:20

EAST Search History

S28	46	("2809232" "3718842" "4242703" "4400731" "4491868" "4533950" "4899105" "4922309" "4987032" "5015094" "5057695" "5111110" "5113083" "5169672" "5216504" "5239365" "5245326" "5293178" "5326729" "5333610" "5339093" "5444329" "5450220").PN. OR ("5764209").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/23 19:23
S29	9	("5204617" "5293178" "5504504" "5686959" "5717780" "5764209" "5825196").PN. OR ("5966458").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/23 19:43
S30	28	("5057775" "5081687" "5170127" "5285150" "5363037" "5369432" "5548357" "5614839" "5650844" "5734158" "5781258" "5793221" "5852480" "5914764" "5982190" "5994916" "6033281" "6056448" "6090545" "6140045" "6150833" "6232616" "6249329" "6281701" "6353466" "6417686" "6552563" "RE37847").PN. OR ("6987400").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/23 19:52
S31	116	((inspect\$3 discover\$3 evaluat\$3 discover\$3 detect\$3 measur\$5 test\$3) with (tolerance error fault\$3 quality performance requirement)) same ((assembly produc\$5) near\$3 line) process station stage step level time interval period phase)) and ((manufactur\$3 produc\$4 method format\$3 assembl\$3) with ((flat plasma PDP) with (device display panel)))	EPO; JPO; DERWENT	OR	ON	2006/01/23 20:01
S32	209	((inspect\$3 discover\$3 evaluat\$3 discover\$3 detect\$3 measur\$5 test\$3) with (tolerance defect\$3 error fault\$3 quality performance requirement)) same ((assembly produc\$5) near\$3 line) process station stage step level time interval period phase)) and ((manufactur\$3 produc\$4 method format\$3 assembl\$3) with ((flat plasma PDP) with (device display panel)))	EPO; JPO; DERWENT	OR	ON	2006/01/23 20:02
S33	170	((inspect\$3 discover\$3 evaluat\$3 discover\$3 detect\$3 measur\$5 test\$3) with (tolerance defect\$3 error fault\$3 quality performance requirement)) with ((assembly produc\$5) near\$3 line) process station stage step level time interval period phase)) and ((manufactur\$3 produc\$4 method format\$3 assembl\$3) with ((flat plasma PDP) with (device display panel)))	EPO; JPO; DERWENT	OR	ON	2006/01/23 20:02
S34	1	1999-546975.NRAN.	DERWENT	OR	ON	2006/01/23 20:16
S35	1	1999-546975.NRAN.	DERWENT	OR	ON	2006/01/23 20:16
S36	1	2000-334380.NRAN.	DERWENT	OR	ON	2006/01/23 20:19
S37	1476	"445"/\$.ccls. and ((test\$3 measur\$3 evaluat\$3 examin\$3 determin\$3 diagnostic analiz\$3 prob\$3 sampl\$3 inspect\$3 examin\$3) with (tolerance quality performance perform\$3 capacity efficiency efficacy operat\$3)) and (assembl\$3 manufact\$3 fabricat\$3 production producing)	US-PGPUB; USPAT	OR	ON	2007/12/08 20:23

EAST Search History

S38	774	S37 not @ad>"20001027"	US-PGPUB; USPAT	OR	ON	2007/12/08 20:23
S39	14	("3329422" "3364728" "3543392" "3807006" "4157206" "4373237" "4374451" "4377890").PN. OR ("4573934").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/08 16:07
S40	1514	"445"/\$.ccls. and ((test\$3 measur\$3 evaluat\$3 examin\$3 determin\$3 diagnostic analiz\$3 prob\$3 sampl\$3 inspect\$3 examin\$3 with (tolerance quality performance perform\$3 capacity efficacy operat\$3)) and (assembl\$3 manufact\$3 fabricat\$3 production producing)	US-PGPUB; USPAT	OR	ON	2007/12/08 22:50
S41	789	S40 not @ad>"20001027"	US-PGPUB; USPAT	OR	ON	2007/12/08 23:43
S42	12	("3817592" "4324999").PN. OR ("5482486").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/08 21:00
S43	130385	(batch (mass near\$3 (production manufacture))) and (display panel) and (light ((field electron) near\$3 (emision emitting emissive emitter source))) ((test\$3 measur\$3 evaluat\$3 examin\$3 determin\$3 diagnostic analiz\$3 prob\$3 sampl\$3 inspect\$3 examin\$3 with (tolerance quality performance perform\$3 capacity efficacy operat\$3)) and (assembl\$3 manufact\$3 fabricat\$3 production producing)	EPO; JPO; DERWENT	OR	ON	2007/12/08 22:52
S44	25	(batch (mass near\$3 (production manufacture))) and (display panel) and (light ((field electron) near\$3 (emision emitting emissive emitter source))) and ((test\$3 measur\$3 evaluat\$3 examin\$3 determin\$3 diagnostic analiz\$3 prob\$3 sampl\$3 inspect\$3 examin\$3 with (tolerance quality performance perform\$3 capacity efficacy operat\$3)) and (assembl\$3 manufact\$3 fabricat\$3 production producing)	EPO; JPO; DERWENT	OR	ON	2007/12/08 22:58
S45	1891	(display panel) and (light ((field electron) near\$3 (emision emitting emissive emitter source))) and ((test\$3 measur\$3 evaluat\$3 examin\$3 determin\$3 diagnostic analiz\$3 prob\$3 sampl\$3 inspect\$3 examin\$3 with (tolerance quality performance perform\$3 capacity efficacy operat\$3)) and (assembl\$3 manufact\$3 fabricat\$3 production producing)	EPO; JPO; DERWENT	OR	ON	2007/12/08 22:57
S46	1988	(display panel) and (light ((field electron) near\$3 (emision emitting emissive emitter source))) and ((test\$3 measur\$3 evaluat\$3 examin\$3 determin\$3 diagnostic analiz\$3 prob\$3 sampl\$3 inspect\$3 examin\$3 with (tolerance quality performance perform\$3 capacity efficacy operat\$3)) and (assembl\$3 manufact\$3 fabricat\$3 production producing)	EPO; JPO; DERWENT	OR	ON	2007/12/08 22:58

EAST Search History

S47	27	(batch (mass near3 (production manufacture))) and (light ((field electron) near3 (emission emitting emissive emitter source))) and ((test\$3 measur\$3 evaluat\$3 examin\$3 determin\$3 prob\$3 sampl\$3 inspect\$3 examin\$3) with (tolerance quality performance perform\$3 capacity efficiency efficacy operat\$3)) and (assembl\$3 manufact\$3 fabricat\$3 production producing)	EPO; JPO; DERWENT	OR	ON	2007/12/08 23:35
S48	40	(batch mass) and (display panel) and (light ((field electron) near3 (emission emitting emissive emitter source))) and ((test\$3 measur\$3 evaluat\$3 examin\$3 determin\$3 diagnostic analiz\$3 prob\$3 sampl\$3 inspect\$3 examin\$3) with (tolerance quality performance perform\$3 capacity efficiency efficacy operat\$3)) and (assembl\$3 manufact\$3 fabricat\$3 production producing)	EPO; JPO; DERWENT	OR	ON	2007/12/08 23:36
S49	46	(batch mass) and (display panel) and (light ((field electron) near3 (emission emitting emissive emitter source))) and ((test\$3 measur\$3 evaluat\$3 examin\$3 determin\$3 diagnostic analiz\$3 prob\$3 sampl\$3 inspect\$3 examin\$3) with (tolerance quality performance perform\$3 capacity efficiency efficacy operat\$3)) and (assembl\$3 manufact\$3 fabricat\$3 production producing)	EPO; JPO; DERWENT	OR	ON	2007/12/09 20:40
S50	47	(batch mass) and (display panel) and (light ((field electron) near3 (emission emitting emissive emitter source))) and ((test\$3 measur\$3 evaluat\$3 examin\$3 determin\$3 diagnostic analiz\$3 prob\$3 sampl\$3 inspect\$3 examin\$3) with (tolerance quality performance perform\$3 capacity efficiency efficacy operat\$3)) and (assembl\$3 manufact\$3 fabricat\$3 production producing)	EPO; JPO; DERWENT	OR	ON	2007/12/08 23:39
S51	761	((batch set cluster bundle plural multiple plurality mass) with (display device panel)) and (light ((field electron) near3 (emission emitting emissive emitter source))) and ((test\$3 measur\$3 evaluat\$3 examin\$3 determin\$3 prob\$3 diagnostic analiz\$3 prob\$3 sampl\$3 inspect\$3 examin\$3) with (tolerance quality performance perform\$3 capacity efficiency efficacy operat\$3)) and (assembl\$3 manufact\$3 fabricat\$3 production producing)	EPO; JPO; DERWENT	OR	ON	2007/12/08 23:39
S52	398	S51 not @pd> "20001027"	EPO; JPO; DERWENT	OR	ON	2007/12/09 20:32